

Camlock Couplings



Description

Camlock couplings are flexible quick couplings for (dis)connecting hoses. When both parts pushed together and the levers of the mother part are closed, arises a leak-proof connection. This fast closing system is resistant to vibration and dragging motions.

| | | | |
|--|---------|--------------|-----------|
| There are several types available such as: | Type B | Product code | NSH520-05 |
| | Type DP | Product code | NSH520-07 |
| | Type DC | Product code | NSH520-07 |
| | Type A | Product code | NSH520-04 |
| | Type F | Product code | NSH520-06 |
| | Type D | Product code | NSH520-03 |
| | Type E | Product code | NSH520-02 |
| | Type C | Product code | NSH520-01 |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487 - TYPE B**// CAM & GROOVE MIL A-A-59326A / MIL C-27487****Type B - Coupler, BSPT Male - Aluminium**

| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | in | |
| 2303239 | I5A9C007-013021 | C&G | 1/2" | 13,0 | - | BSPT | 1/2" | 13,0 | 1/2" |
| 2301847 | I5A9C007-019027 | C&G | 3/4" | 19,0 | - | BSPT | 3/4" | 19,0 | 3/4" |
| 2301848 | I5A9C007-025034 | C&G | 1" | 25,0 | - | BSPT | 1" | 25,0 | 1" |
| 2301849 | I5A9C007-032042 | C&G | 1 1/4" | 32,0 | - | BSPT | 1 1/4" | 32,0 | 1"1/4 |
| 2301850 | I5A9C007-038049 | C&G | 1 1/2" | 38,0 | - | BSPT | 1 1/2" | 38,0 | 1"1/2 |
| 2301851 | I5A9C007-051060 | C&G | 2" | 51,0 | - | BSPT | 2" | 51,0 | 2" |
| 2301852 | I5A9C007-063076 | C&G | 2 1/2" | 63,0 | - | BSPT | 2 1/2" | 63,0 | 2"1/2 |
| 2301853 | I5A9C007-076090 | C&G | 3" | 76,0 | - | BSPT | 3" | 76,0 | 3" |
| 2302699 | I5A9C007-102114 | C&G | 4" | 102,0 | - | BSPT | 4" | 102,0 | 4" |
| 2302700 | I5A9C007-127140 | C&G | 5" | 127,0 | - | BSPT | 5" | 127,0 | 5" |
| 2302701 | I5A9C007-152165 | C&G | 6" | 152,0 | - | BSPT | 6" | 152,0 | 6" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type B - Coupler, BSPT Male - Stainless steel 316**

| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | in | |
| 2303241 | I3A9C007-013021 | C&G | 1/2" | 13,0 | - | BSPT | 1/2" | 13,0 | 1/2" |
| 2301765 | I3A9C007-019027 | C&G | 3/4" | 19,0 | - | BSPT | 3/4" | 19,0 | 3/4" |
| 2301854 | I3A9C007-025034 | C&G | 1" | 25,0 | - | BSPT | 1" | 25,0 | 1" |
| 2302593 | I3A9C007-032042 | C&G | 1 1/4" | 32,0 | - | BSPT | 1 1/4" | 32,0 | 1"1/4 |
| 2301855 | I3A9C007-038049 | C&G | 1 1/2" | 38,0 | - | BSPT | 1 1/2" | 38,0 | 1"1/2 |
| 2301856 | I3A9C007-051060 | C&G | 2" | 51,0 | - | BSPT | 2" | 51,0 | 2" |
| 2302594 | I3A9C007-063076 | C&G | 2 1/2" | 63,0 | - | BSPT | 2 1/2" | 63,0 | 2"1/2 |
| 2302595 | I3A9C007-076090 | C&G | 3" | 76,0 | - | BSPT | 3" | 76,0 | 3" |
| 2302596 | I3A9C007-102114 | C&G | 4" | 102,0 | - | BSPT | 4" | 102,0 | 4" |
| 2302597 | I3A9C007-152165 | C&G | 6" | 152,0 | - | BSPT | 6" | 152,0 | 6" |

Design and dimensions shown may be changed without prior notice

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type B - Coupler, BSPT Male - Brass



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303240 | I8A9C007-013021 | C&G | 1/2" | 13,0 | - | BSPT | 1/2" | 13,0 | 1/2" |
| 2302779 | I8A9C007-019027 | C&G | 3/4" | 19,0 | - | BSPT | 3/4" | 19,0 | 3/4" |
| 2302780 | I8A9C007-025034 | C&G | 1" | 25,0 | - | BSPT | 1" | 25,0 | 1" |
| 2301857 | I8A9C007-032042 | C&G | 1 1/4" | 32,0 | - | BSPT | 1 1/4" | 32,0 | 1"1/4 |
| 2301858 | I8A9C007-038049 | C&G | 1 1/2" | 38,0 | - | BSPT | 1 1/2" | 38,0 | 1"1/2 |
| 2302781 | I8A9C007-051060 | C&G | 2" | 51,0 | - | BSPT | 2" | 51,0 | 2" |
| 2302782 | I8A9C007-063076 | C&G | 2 1/2" | 63,0 | - | BSPT | 2 1/2" | 63,0 | 2"1/2 |
| 2302783 | I8A9C007-076090 | C&G | 3" | 76,0 | - | BSPT | 3" | 76,0 | 3" |
| 2302784 | I8A9C007-102114 | C&G | 4" | 102,0 | - | BSPT | 4" | 102,0 | 4" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type B - Coupler, BSPT Male - PP



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303268 | IPA9C007-013021 | C&G | 1/2" | 13,0 | - | BSPT | 1/2" | 13,0 | 1/2" |
| 2303269 | IPA9C007-019027 | C&G | 3/4" | 19,0 | - | BSPT | 3/4" | 19,0 | 3/4" |
| 2303270 | IPA9C007-025034 | C&G | 1" | 25,0 | - | BSPT | 1" | 25,0 | 1" |
| 2303271 | IPA9C007-032042 | C&G | 1 1/4" | 32,0 | - | BSPT | 1 1/4" | 32,0 | 1"1/4 |
| 2303272 | IPA9C007-038049 | C&G | 1 1/2" | 38,0 | - | BSPT | 1 1/2" | 38,0 | 1"1/2 |
| 2303273 | IPA9C007-051060 | C&G | 2" | 51,0 | - | BSPT | 2" | 51,0 | 2" |
| 2303275 | IPA9C007-076090 | C&G | 3" | 76,0 | - | BSPT | 3" | 76,0 | 3" |
| 2303276 | IPA9C007-102114 | C&G | 4" | 102,0 | - | BSPT | 4" | 102,0 | 4" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type B - Coupler, NPT Male - Aluminium



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303522 | I5A9C028-013021 | C&G | 1/2" | 13,0 | - | NPT | 1/2" | 13,0 | 1/2" |
| 2303523 | I5A9C028-019027 | C&G | 3/4" | 19,0 | - | NPT | 3/4" | 19,0 | 3/4" |
| 2303524 | I5A9C028-025034 | C&G | 1" | 25,0 | - | NPT | 1" | 25,0 | 1" |
| 2303525 | I5A9C028-032042 | C&G | 1 1/4" | 32,0 | - | NPT | 1 1/4" | 32,0 | 1"1/4 |
| 2303526 | I5A9C028-038049 | C&G | 1 1/2" | 38,0 | - | NPT | 1 1/2" | 38,0 | 1"1/2 |
| 2303527 | I5A9C028-051060 | C&G | 2" | 51,0 | - | NPT | 2" | 51,0 | 2" |
| 2303528 | I5A9C028-063076 | C&G | 2 1/2" | 63,0 | - | NPT | 2 1/2" | 63,0 | 2"1/2 |
| 2303529 | I5A9C028-076090 | C&G | 3" | 76,0 | - | NPT | 3" | 76,0 | 3" |
| 2303530 | I5A9C028-102114 | C&G | 4" | 102,0 | - | NPT | 4" | 102,0 | 4" |
| 2303531 | I5A9C028-127140 | C&G | 5" | 127,0 | - | NPT | 5" | 127,0 | 5" |
| 2303532 | I5A9C028-152165 | C&G | 6" | 152,0 | - | NPT | 6" | 152,0 | 6" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type B - Coupler, NPT Male - Stainless steel 316



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303544 | I3A9C028-013021 | C&G | 1/2" | 13,0 | - | NPT | 1/2" | 13,0 | 1/2" |
| 2303545 | I3A9C028-019027 | C&G | 3/4" | 19,0 | - | NPT | 3/4" | 19,0 | 3/4" |
| 2303546 | I3A9C028-025034 | C&G | 1" | 25,0 | - | NPT | 1" | 25,0 | 1" |
| 2303547 | I3A9C028-032042 | C&G | 1 1/4" | 32,0 | - | NPT | 1 1/4" | 32,0 | 1"1/4 |
| 2303548 | I3A9C028-038049 | C&G | 1 1/2" | 38,0 | - | NPT | 1 1/2" | 38,0 | 1"1/2 |
| 2303549 | I3A9C028-051060 | C&G | 2" | 51,0 | - | NPT | 2" | 51,0 | 2" |
| 2303550 | I3A9C028-063076 | C&G | 2 1/2" | 63,0 | - | NPT | 2 1/2" | 63,0 | 2"1/2 |
| 2303551 | I3A9C028-076090 | C&G | 3" | 76,0 | - | NPT | 3" | 76,0 | 3" |
| 2303552 | I3A9C028-102114 | C&G | 4" | 102,0 | - | NPT | 4" | 102,0 | 4" |
| 2303553 | I3A9C028-127140 | C&G | 5" | 127,0 | - | NPT | 5" | 127,0 | 5" |
| 2303554 | I3A9C028-152165 | C&G | 6" | 152,0 | - | NPT | 6" | 152,0 | 6" |

Design and dimensions shown may be changed without prior notice

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type B - Coupler, NPT Male - Brass**

| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303533 | I8A9C028-013021 | C&G | 1/2" | 13,0 | - | NPT | 1/2" | 13,0 | 1/2" |
| 2303534 | I8A9C028-019027 | C&G | 3/4" | 19,0 | - | NPT | 3/4" | 19,0 | 3/4" |
| 2303535 | I8A9C028-025034 | C&G | 1" | 25,0 | - | NPT | 1" | 25,0 | - |
| 2303536 | I8A9C028-032042 | C&G | 1 1/4" | 32,0 | - | NPT | 1 1/4" | 32,0 | 1"1/4 |
| 2303537 | I8A9C028-038049 | C&G | 1 1/2" | 38,0 | - | NPT | 1 1/2" | 38,0 | 1"1/2 |
| 2303538 | I8A9C028-051060 | C&G | 2" | 51,0 | - | NPT | 2" | 51,0 | 2" |
| 2303539 | I8A9C028-063076 | C&G | 2 1/2" | 63,0 | - | NPT | 2 1/2" | 63,0 | 2"1/2 |
| 2303540 | I8A9C028-076090 | C&G | 3" | 76,0 | - | NPT | 3" | 76,0 | 3" |
| 2303541 | I8A9C028-102114 | C&G | 4" | 102,0 | - | NPT | 4" | 102,0 | 4" |
| 2303542 | I8A9C028-127140 | C&G | 5" | 127,0 | - | NPT | 5" | 127,0 | 5" |
| 2303543 | I8A9C028-152165 | C&G | 6" | 152,0 | - | NPT | 6" | 152,0 | 6" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type B - Coupler, NPT Male - PP**

| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303555 | IPA9C028-013021 | C&G | 1/2" | 13,0 | - | NPT | 1/2" | 13,0 | 1/2" |
| 2303556 | IPA9C028-019027 | C&G | 3/4" | 19,0 | - | NPT | 3/4" | 19,0 | 3/4" |
| 2303557 | IPA9C028-025034 | C&G | 1" | 25,0 | - | NPT | 1" | 25,0 | - |
| 2303558 | IPA9C028-032042 | C&G | 1 1/4" | 32,0 | - | NPT | 1 1/4" | 32,0 | 1"1/4 |
| 2303559 | IPA9C028-038049 | C&G | 1 1/2" | 38,0 | - | NPT | 1 1/2" | 38,0 | 1"1/2 |
| 2303560 | IPA9C028-051060 | C&G | 2" | 51,0 | - | NPT | 2" | 51,0 | 2" |
| 2303562 | IPA9C028-076090 | C&G | 3" | 76,0 | - | NPT | 3" | 76,0 | 3" |
| 2303563 | IPA9C028-102114 | C&G | 4" | 102,0 | - | NPT | 4" | 102,0 | 4" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487 - TYPE DP**// CAM & GROOVE MIL A-A-59326A / MIL C-27487****Type DP - Male dust plug for coupler - Aluminium**

| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 |
|-----------|--------------|---------------|----------------|----------------|----------|
| | | | in | mm | in |
| 2303257 | I5A9C700-013 | C&G | 1/2" | 13,0 | - |
| 2301979 | I5A9C700-019 | C&G | 3/4" | 19,0 | - |
| 2300967 | I5A9C700-025 | C&G | 1" | 25,0 | - |
| 2302707 | I5A9C700-032 | C&G | 1 1/4" | 32,0 | - |
| 2301982 | I5A9C700-038 | C&G | 1 1/2" | 38,0 | - |
| 2301983 | I5A9C700-051 | C&G | 2" | 51,0 | - |
| 2301985 | I5A9C700-063 | C&G | 2 1/2" | 63,0 | - |
| 2301986 | I5A9C700-076 | C&G | 3" | 76,0 | - |
| 2302708 | I5A9C700-102 | C&G | 4" | 102,0 | - |
| 2302709 | I5A9C700-127 | C&G | 5" | 127,0 | - |
| 2301988 | I5A9C700-152 | C&G | 6" | 152,0 | - |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type DP - Male dust plug for coupler - Stainless steel 316**

| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 |
|-----------|--------------|---------------|----------------|----------------|----------|
| | | | in | mm | in |
| 2303237 | I3A9C700-013 | C&G | 1/2" | 13,0 | - |
| 2302605 | I3A9C700-019 | C&G | 3/4" | 19,0 | - |
| 2302606 | I3A9C700-025 | C&G | 1" | 25,0 | - |
| 2302607 | I3A9C700-032 | C&G | 1 1/4" | 32,0 | - |
| 2301746 | I3A9C700-038 | C&G | 1 1/2" | 38,0 | - |
| 2302608 | I3A9C700-051 | C&G | 2" | 51,0 | - |
| 2301989 | I3A9C700-063 | C&G | 2 1/2" | 63,0 | - |
| 2301747 | I3A9C700-076 | C&G | 3" | 76,0 | - |
| 2302609 | I3A9C700-102 | C&G | 4" | 102,0 | - |
| 2302610 | I3A9C700-152 | C&G | 6" | 152,0 | - |

Design and dimensions shown may be changed without prior notice

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type DP - Male dust plug for coupler - Brass**

| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 |
|-----------|--------------|---------------|----------------|----------------|----------|
| | | | in | mm | in |
| 2303258 | I8A9C700-013 | C&G | 1/2" | 13,0 | - |
| 2302792 | I8A9C700-019 | C&G | 3/4" | 19,0 | - |
| 2302793 | I8A9C700-025 | C&G | 1" | 25,0 | - |
| 2302794 | I8A9C700-032 | C&G | 1 1/4" | 32,0 | - |
| 2302795 | I8A9C700-038 | C&G | 1 1/2" | 38,0 | - |
| 2302228 | I8A9C700-051 | C&G | 2" | 51,0 | - |
| 2302229 | I8A9C700-063 | C&G | 2 1/2" | 63,0 | - |
| 2302230 | I8A9C700-076 | C&G | 3" | 76,0 | - |
| 2302231 | I8A9C700-102 | C&G | 4" | 102,0 | - |
| 2302796 | I8A9C700-127 | C&G | 5" | 127,0 | - |
| 2303782 | I8A9C700-152 | C&G | 6" | 152,0 | - |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type DP - Male dust plug for coupler - PP**

| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 |
|-----------|--------------|---------------|----------------|----------------|----------|
| | | | in | mm | in |
| 2303322 | IPA9C700-013 | C&G | 1/2" | 13,0 | - |
| 2303323 | IPA9C700-019 | C&G | 3/4" | 19,0 | - |
| 2303324 | IPA9C700-025 | C&G | 1" | 25,0 | - |
| 2303325 | IPA9C700-032 | C&G | 1 1/4" | 32,0 | - |
| 2303326 | IPA9C700-038 | C&G | 1 1/2" | 38,0 | - |
| 2303327 | IPA9C700-051 | C&G | 2" | 51,0 | - |
| 2303329 | IPA9C700-076 | C&G | 3" | 76,0 | - |
| 2303330 | IPA9C700-102 | C&G | 4" | 102,0 | - |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487 - TYPE DC**// CAM & GROOVE MIL A-A-59326A / MIL C-27487****Type DC - Female dust cap for adapter - Aluminium**

| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 |
|-----------|--------------|---------------|----------------|----------------|----------|
| | | | in | mm | in |
| 2303254 | I5A9C900-013 | C&G | 1/2" | 13,0 | - |
| 2301967 | I5A9C900-019 | C&G | 3/4" | 19,0 | - |
| 2300200 | I5A9C900-025 | C&G | 1" | 25,0 | - |
| 2300201 | I5A9C900-032 | C&G | 1 1/4" | 32,0 | - |
| 2301968 | I5A9C900-038 | C&G | 1 1/2" | 38,0 | - |
| 2301969 | I5A9C900-051 | C&G | 2" | 51,0 | - |
| 2301970 | I5A9C900-063 | C&G | 2 1/2" | 63,0 | - |
| 2301971 | I5A9C900-076 | C&G | 3" | 76,0 | - |
| 2301972 | I5A9C900-102 | C&G | 4" | 102,0 | - |
| 2302712 | I5A9C900-127 | C&G | 5" | 127,0 | - |
| 2302713 | I5A9C900-152 | C&G | 6" | 152,0 | - |
| 2303756 | I5A9C900-203 | C&G | 8" | 203,0 | - |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type DC - Female dust cap for adapter - Stainless steel 316**

| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 |
|-----------|--------------|---------------|----------------|----------------|----------|
| | | | in | mm | in |
| 2303256 | I3A9C900-013 | C&G | 1/2" | 13,0 | - |
| 2301973 | I3A9C900-019 | C&G | 3/4" | 19,0 | - |
| 2301546 | I3A9C900-025 | C&G | 1" | 25,0 | - |
| 2302612 | I3A9C900-032 | C&G | 1 1/4" | 32,0 | - |
| 2302613 | I3A9C900-038 | C&G | 1 1/2" | 38,0 | - |
| 2302225 | I3A9C900-051 | C&G | 2" | 51,0 | - |
| 2302614 | I3A9C900-063 | C&G | 2 1/2" | 63,0 | - |
| 2302615 | I3A9C900-076 | C&G | 3" | 76,0 | - |
| 2302616 | I3A9C900-102 | C&G | 4" | 102,0 | - |
| 2303761 | I3A9C900-127 | C&G | 5" | 127,0 | - |
| 2302617 | I3A9C900-152 | C&G | 6" | 152,0 | - |

Design and dimensions shown may be changed without prior notice

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type DC - Female dust cap for adapter - Brass**

| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 |
|-----------|--------------|---------------|----------------|----------------|----------|
| | | | in | mm | in |
| 2303255 | I8A9C900-013 | C&G | 1/2" | 13,0 | - |
| 2302797 | I8A9C900-019 | C&G | 3/4" | 19,0 | - |
| 2302798 | I8A9C900-025 | C&G | 1" | 25,0 | - |
| 2302799 | I8A9C900-032 | C&G | 1 1/4" | 32,0 | - |
| 2302800 | I8A9C900-038 | C&G | 1 1/2" | 38,0 | - |
| 2302226 | I8A9C900-051 | C&G | 2" | 51,0 | - |
| 2302801 | I8A9C900-063 | C&G | 2 1/2" | 63,0 | - |
| 2302227 | I8A9C900-076 | C&G | 3" | 76,0 | - |
| 2302802 | I8A9C900-102 | C&G | 4" | 102,0 | - |
| 2303758 | I8A9C900-127 | C&G | 5" | 127,0 | - |
| 2303759 | I8A9C900-152 | C&G | 6" | 152,0 | - |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type DC - Female dust cap for adapter - PP**

| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 |
|-----------|--------------|---------------|----------------|----------------|----------|
| | | | in | mm | in |
| 2303313 | IPA9C900-013 | C&G | 1/2" | 13,0 | - |
| 2303314 | IPA9C900-019 | C&G | 3/4" | 19,0 | - |
| 2303315 | IPA9C900-025 | C&G | 1" | 25,0 | - |
| 2303317 | IPA9C900-038 | C&G | 1 1/2" | 38,0 | - |
| 2303318 | IPA9C900-051 | C&G | 2" | 51,0 | - |
| 2303320 | IPA9C900-076 | C&G | 3" | 76,0 | - |
| 2303321 | IPA9C900-102 | C&G | 4" | 102,0 | - |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487 - TYPE A**// CAM & GROOVE MIL A-A-59326A / MIL C-27487****Type A - Adapter, BSPP Female - Aluminium**

| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303234 | I5A9C606-013021 | C&G | 1/2" | 13,0 | - | BSPP | 1/2" | 13,0 | 1/2" |
| 2301830 | I5A9C606-019027 | C&G | 3/4" | 19,0 | - | BSPP | 3/4" | 19,0 | 3/4" |
| 2300182 | I5A9C606-025034 | C&G | 1" | 25,0 | - | BSPP | 1" | 25,0 | 1" |
| 2300183 | I5A9C606-032042 | C&G | 1 1/4" | 32,0 | - | BSPP | 1 1/4" | 32,0 | 1"1/4 |
| 2301831 | I5A9C606-038049 | C&G | 1 1/2" | 38,0 | - | BSPP | 1 1/2" | 38,0 | 1"1/2 |
| 2301832 | I5A9C606-051060 | C&G | 2" | 51,0 | - | BSPP | 2" | 51,0 | 2" |
| 2301833 | I5A9C606-063076 | C&G | 2 1/2" | 63,0 | - | BSPP | 2 1/2" | 63,0 | 2"1/2 |
| 2301834 | I5A9C606-076090 | C&G | 3" | 76,0 | - | BSPP | 3" | 76,0 | 3" |
| 2301835 | I5A9C606-102114 | C&G | 4" | 102,0 | - | BSPP | 4" | 102,0 | 4" |
| 2302706 | I5A9C606-127140 | C&G | 5" | 127,0 | - | BSPP | 5" | 127,0 | 5" |
| 2301836 | I5A9C606-152165 | C&G | 6" | 152,0 | - | BSPP | 6" | 152,0 | 6" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type A - Adapter, BSPP Female - Stainless steel 316**

| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303236 | I3A9C606-013021 | C&G | 1/2" | 13,0 | - | BSPP | 1/2" | 13,0 | 1/2" |
| 2301837 | I3A9C606-019027 | C&G | 3/4" | 19,0 | - | BSPP | 3/4" | 19,0 | 3/4" |
| 2300148 | I3A9C606-025034 | C&G | 1" | 25,0 | - | BSPP | 1" | 25,0 | 1" |
| 2300149 | I3A9C606-032042 | C&G | 1 1/4" | 32,0 | - | BSPP | 1 1/4" | 32,0 | 1"1/4 |
| 2301838 | I3A9C606-038049 | C&G | 1 1/2" | 38,0 | - | BSPP | 1 1/2" | 38,0 | 1"1/2 |
| 2301839 | I3A9C606-051060 | C&G | 2" | 51,0 | - | BSPP | 2" | 51,0 | 2" |
| 2301840 | I3A9C606-063076 | C&G | 2 1/2" | 63,0 | - | BSPP | 2 1/2" | 63,0 | 2"1/2 |
| 2302602 | I3A9C606-076090 | C&G | 3" | 76,0 | - | BSPP | 3" | 76,0 | 3" |
| 2302603 | I3A9C606-102114 | C&G | 4" | 102,0 | - | BSPP | 4" | 102,0 | 4" |
| 2302604 | I3A9C606-152165 | C&G | 6" | 152,0 | - | BSPP | 6" | 152,0 | 6" |

Design and dimensions shown may be changed without prior notice

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type A - Adapter, BSPP Female - Brass



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303235 | I8A9C606-013021 | C&G | 1/2" | 13,0 | - | BSPP | 1/2" | 13,0 | 1/2" |
| 2301841 | I8A9C606-019027 | C&G | 3/4" | 19,0 | - | BSPP | 3/4" | 19,0 | 3/4" |
| 2301842 | I8A9C606-025034 | C&G | 1" | 25,0 | - | BSPP | 1" | 25,0 | 1" |
| 2302789 | I8A9C606-032042 | C&G | 1 1/4" | 32,0 | - | BSPP | 1 1/4" | 32,0 | 1"1/4 |
| 2302790 | I8A9C606-038049 | C&G | 1 1/2" | 38,0 | - | BSPP | 1 1/2" | 38,0 | 1"1/2 |
| 2301843 | I8A9C606-051060 | C&G | 2" | 51,0 | - | BSPP | 2" | 51,0 | 2" |
| 2301844 | I8A9C606-063076 | C&G | 2 1/2" | 63,0 | - | BSPP | 2 1/2" | 63,0 | 2"1/2 |
| 2301845 | I8A9C606-076090 | C&G | 3" | 76,0 | - | BSPP | 3" | 76,0 | 3" |
| 2301846 | I8A9C606-102114 | C&G | 4" | 102,0 | - | BSPP | 4" | 102,0 | 4" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type A - Adapter, BSPP Female - PP



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303259 | IPA9C606-013021 | C&G | 1/2" | 13,0 | - | BSPP | 1/2" | 13,0 | 1/2" |
| 2303260 | IPA9C606-019027 | C&G | 3/4" | 19,0 | - | BSPP | 3/4" | 19,0 | 3/4" |
| 2303261 | IPA9C606-025034 | C&G | 1" | 25,0 | - | BSPP | 1" | 25,0 | 1" |
| 2303262 | IPA9C606-032042 | C&G | 1 1/4" | 32,0 | - | BSPP | 1 1/4" | 32,0 | 1"1/4 |
| 2303263 | IPA9C606-038049 | C&G | 1 1/2" | 38,0 | - | BSPP | 1 1/2" | 38,0 | 1"1/2 |
| 2303264 | IPA9C606-051060 | C&G | 2" | 51,0 | - | BSPP | 2" | 51,0 | 2" |
| 2303266 | IPA9C606-076090 | C&G | 3" | 76,0 | - | BSPP | 3" | 76,0 | 3" |
| 2303267 | IPA9C606-102114 | C&G | 4" | 102,0 | - | BSPP | 4" | 102,0 | 4" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type A - Adapter, NPT Female - Aluminium



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303469 | I5A9C628-013021 | C&G | 1/2" | 13,0 | - | NPT | 1/2" | 13,0 | 1/2" |
| 2303470 | I5A9C628-019027 | C&G | 3/4" | 19,0 | - | NPT | 3/4" | 19,0 | 3/4" |
| 2303471 | I5A9C628-025034 | C&G | 1" | 25,0 | - | NPT | 1" | 25,0 | 1" |
| 2303472 | I5A9C628-032042 | C&G | 1 1/4" | 32,0 | - | NPT | 1 1/4" | 32,0 | 1"1/4 |
| 2303473 | I5A9C628-038049 | C&G | 1 1/2" | 38,0 | - | NPT | 1 1/2" | 38,0 | 1"1/2 |
| 2303474 | I5A9C628-051060 | C&G | 2" | 51,0 | - | NPT | 2" | 51,0 | 2" |
| 2303475 | I5A9C628-063076 | C&G | 2 1/2" | 63,0 | - | NPT | 2 1/2" | 63,0 | 2"1/2 |
| 2303476 | I5A9C628-076090 | C&G | 3" | 76,0 | - | NPT | 3" | 76,0 | 3" |
| 2303477 | I5A9C628-102114 | C&G | 4" | 102,0 | - | NPT | 4" | 102,0 | 4" |
| 2303478 | I5A9C628-127140 | C&G | 5" | 127,0 | - | NPT | 5" | 127,0 | 5" |
| 2303479 | I5A9C628-152165 | C&G | 6" | 152,0 | - | NPT | 6" | 152,0 | 6" |
| 2303480 | I5A9C628-203219 | C&G | 8" | 203,0 | - | NPT | 8" | 203,0 | 8" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type A - Adapter, NPT Female - Stainless steel 316



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303492 | I3A9C628-013021 | C&G | 1/2" | 13,0 | - | NPT | 1/2" | 13,0 | 1/2" |
| 2303493 | I3A9C628-019027 | C&G | 3/4" | 19,0 | - | NPT | 3/4" | 19,0 | 3/4" |
| 2303494 | I3A9C628-025034 | C&G | 1" | 25,0 | - | NPT | 1" | 25,0 | 1" |
| 2303495 | I3A9C628-032042 | C&G | 1 1/4" | 32,0 | - | NPT | 1 1/4" | 32,0 | 1"1/4 |
| 2303496 | I3A9C628-038049 | C&G | 1 1/2" | 38,0 | - | NPT | 1 1/2" | 38,0 | 1"1/2 |
| 2303497 | I3A9C628-051060 | C&G | 2" | 51,0 | - | NPT | 2" | 51,0 | 2" |
| 2303498 | I3A9C628-063076 | C&G | 2 1/2" | 63,0 | - | NPT | 2 1/2" | 63,0 | 2"1/2 |
| 2303499 | I3A9C628-076090 | C&G | 3" | 76,0 | - | NPT | 3" | 76,0 | 3" |
| 2303500 | I3A9C628-102114 | C&G | 4" | 102,0 | - | NPT | 4" | 102,0 | 4" |
| 2303501 | I3A9C628-127140 | C&G | 5" | 127,0 | - | NPT | 5" | 127,0 | 5" |
| 2303502 | I3A9C628-152165 | C&G | 6" | 152,0 | - | NPT | 6" | 152,0 | 6" |
| 2303503 | I3A9C628-203219 | C&G | 8" | 203,0 | - | NPT | 8" | 203,0 | 8" |

Design and dimensions shown may be changed without prior notice

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type A - Adapter, NPT Female - Brass**

| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303481 | I8A9C628-013021 | C&G | 1/2" | 13,0 | - | NPT | 1/2" | 13,0 | 1/2" |
| 2303482 | I8A9C628-019027 | C&G | 3/4" | 19,0 | - | NPT | 3/4" | 19,0 | 3/4" |
| 2303483 | I8A9C628-025034 | C&G | 1" | 25,0 | - | NPT | 1" | 25,0 | 1" |
| 2303484 | I8A9C628-032042 | C&G | 1 1/4" | 32,0 | - | NPT | 1 1/4" | 32,0 | 1"1/4 |
| 2303485 | I8A9C628-038049 | C&G | 1 1/2" | 38,0 | - | NPT | 1 1/2" | 38,0 | 1"1/2 |
| 2303486 | I8A9C628-051060 | C&G | 2" | 51,0 | - | NPT | 2" | 51,0 | 2" |
| 2303487 | I8A9C628-063076 | C&G | 2 1/2" | 63,0 | - | NPT | 2 1/2" | 63,0 | 2"1/2 |
| 2303488 | I8A9C628-076090 | C&G | 3" | 76,0 | - | NPT | 3" | 76,0 | 3" |
| 2303489 | I8A9C628-102114 | C&G | 4" | 102,0 | - | NPT | 4" | 102,0 | 4" |
| 2303490 | I8A9C628-127140 | C&G | 5" | 127,0 | - | NPT | 5" | 127,0 | 5" |
| 2303491 | I8A9C628-152165 | C&G | 6" | 152,0 | - | NPT | 6" | 152,0 | 6" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type A - Adapter, NPT Female - PP**

| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303504 | IPA9C628-013021 | C&G | 1/2" | 13,0 | - | NPT | 1/2" | 13,0 | 1/2" |
| 2303505 | IPA9C628-019027 | C&G | 3/4" | 19,0 | - | NPT | 3/4" | 19,0 | 3/4" |
| 2303506 | IPA9C628-025034 | C&G | 1" | 25,0 | - | NPT | 1" | 25,0 | 1" |
| 2303507 | IPA9C628-032042 | C&G | 1 1/4" | 32,0 | - | NPT | 1 1/4" | 32,0 | 1"1/4 |
| 2303508 | IPA9C628-038049 | C&G | 1 1/2" | 38,0 | - | NPT | 1 1/2" | 38,0 | 1"1/2 |
| 2303509 | IPA9C628-051060 | C&G | 2" | 51,0 | - | NPT | 2" | 51,0 | 2" |
| 2303511 | IPA9C628-076090 | C&G | 3" | 76,0 | - | NPT | 3" | 76,0 | 3" |
| 2303512 | IPA9C628-102114 | C&G | 4" | 102,0 | - | NPT | 4" | 102,0 | 4" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487 - TYPE F

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type F - Adapter, BSPT Male - Aluminium



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303251 | I5A9C507-013021 | C&G | 1/2" | 13,0 | - | BSPT | 1/2" | 13,0 | 1/2" |
| 2301948 | I5A9C507-019027 | C&G | 3/4" | 19,0 | - | BSPT | 3/4" | 19,0 | 3/4" |
| 2301949 | I5A9C507-025034 | C&G | 1" | 25,0 | - | BSPT | 1" | 25,0 | 1" |
| 2301950 | I5A9C507-032042 | C&G | 1 1/4" | 32,0 | - | BSPT | 1 1/4" | 32,0 | 1"1/4 |
| 2301951 | I5A9C507-038049 | C&G | 1 1/2" | 38,0 | - | BSPT | 1 1/2" | 38,0 | 1"1/2 |
| 2301952 | I5A9C507-051060 | C&G | 2" | 51,0 | - | BSPT | 2" | 51,0 | 2" |
| 2301953 | I5A9C507-063076 | C&G | 2 1/2" | 63,0 | - | BSPT | 2 1/2" | 63,0 | 2"1/2 |
| 2301954 | I5A9C507-076090 | C&G | 3" | 76,0 | - | BSPT | 3" | 76,0 | 3" |
| 2301955 | I5A9C507-102114 | C&G | 4" | 102,0 | - | BSPT | 4" | 102,0 | 4" |
| 2302703 | I5A9C507-127140 | C&G | 5" | 127,0 | - | BSPT | 5" | 127,0 | 5" |
| 2302704 | I5A9C507-152165 | C&G | 6" | 152,0 | - | BSPT | 6" | 152,0 | 6" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type F - Adapter, BSPT Male - Stainless steel 316



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303253 | I3A9C507-013021 | C&G | 1/2" | 13,0 | - | BSPT | 1/2" | 13,0 | 1/2" |
| 2301956 | I3A9C507-019027 | C&G | 3/4" | 19,0 | - | BSPT | 3/4" | 19,0 | 3/4" |
| 2301957 | I3A9C507-025034 | C&G | 1" | 25,0 | - | BSPT | 1" | 25,0 | 1" |
| 2301958 | I3A9C507-032042 | C&G | 1 1/4" | 32,0 | - | BSPT | 1 1/4" | 32,0 | 1"1/4 |
| 2302598 | I3A9C507-038049 | C&G | 1 1/2" | 38,0 | - | BSPT | 1 1/2" | 38,0 | 1"1/2 |
| 2301960 | I3A9C507-051060 | C&G | 2" | 51,0 | - | BSPT | 2" | 51,0 | 2" |
| 2301961 | I3A9C507-063076 | C&G | 2 1/2" | 63,0 | - | BSPT | 2 1/2" | 63,0 | 2"1/2 |
| 2302599 | I3A9C507-076090 | C&G | 3" | 76,0 | - | BSPT | 3" | 76,0 | 3" |
| 2302600 | I3A9C507-102114 | C&G | 4" | 102,0 | - | BSPT | 4" | 102,0 | 4" |
| 2302601 | I3A9C507-152165 | C&G | 6" | 152,0 | - | BSPT | 6" | 152,0 | 6" |

Design and dimensions shown may be changed without prior notice

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type F - Adapter, BSPT Male - Brass



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303252 | I8A9C507-013021 | C&G | 1/2" | 13,0 | - | BSPT | 1/2" | 13,0 | 1/2" |
| 2302785 | I8A9C507-019027 | C&G | 3/4" | 19,0 | - | BSPT | 3/4" | 19,0 | 3/4" |
| 2302786 | I8A9C507-025034 | C&G | 1" | 25,0 | - | BSPT | 1" | 25,0 | 1" |
| 2302787 | I8A9C507-032042 | C&G | 1 1/4" | 32,0 | - | BSPT | 1 1/4" | 32,0 | 1"1/4 |
| 2301962 | I8A9C507-038049 | C&G | 1 1/2" | 38,0 | - | BSPT | 1 1/2" | 38,0 | 1"1/2 |
| 2301963 | I8A9C507-051060 | C&G | 2" | 51,0 | - | BSPT | 2" | 51,0 | 2" |
| 2301964 | I8A9C507-063076 | C&G | 2 1/2" | 63,0 | - | BSPT | 2 1/2" | 63,0 | 2"1/2 |
| 2301965 | I8A9C507-076090 | C&G | 3" | 76,0 | - | BSPT | 3" | 76,0 | 3" |
| 2302788 | I8A9C507-102114 | C&G | 4" | 102,0 | - | BSPT | 4" | 102,0 | 4" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type F - Adapter, BSPT Male - PP



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303304 | IPA9C507-013021 | C&G | 1/2" | 13,0 | - | BSPT | 1/2" | 13,0 | 1/2" |
| 2303305 | IPA9C507-019027 | C&G | 3/4" | 19,0 | - | BSPT | 3/4" | 19,0 | 3/4" |
| 2303306 | IPA9C507-025034 | C&G | 1" | 25,0 | - | BSPT | 1" | 25,0 | 1" |
| 2303307 | IPA9C507-032042 | C&G | 1 1/4" | 32,0 | - | BSPT | 1 1/4" | 32,0 | 1"1/4 |
| 2303308 | IPA9C507-038049 | C&G | 1 1/2" | 38,0 | - | BSPT | 1 1/2" | 38,0 | 1"1/2 |
| 2303309 | IPA9C507-051060 | C&G | 2" | 51,0 | - | BSPT | 2" | 51,0 | 2" |
| 2303311 | IPA9C507-076090 | C&G | 3" | 76,0 | - | BSPT | 3" | 76,0 | 3" |
| 2303312 | IPA9C507-102114 | C&G | 4" | 102,0 | - | BSPT | 4" | 102,0 | 4" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type F - Adapter, NPT Male - Aluminium



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303702 | I5A9C528-013021 | C&G | 1/2" | 13,0 | - | NPT | 1/2" | 13,0 | 1/2" |
| 2303703 | I5A9C528-019027 | C&G | 3/4" | 19,0 | - | NPT | 3/4" | 19,0 | 3/4" |
| 2303704 | I5A9C528-025034 | C&G | 1" | 25,0 | - | NPT | 1" | 25,0 | 1" |
| 2303705 | I5A9C528-032042 | C&G | 1 1/4" | 32,0 | - | NPT | 1 1/4" | 32,0 | 1"1/4 |
| 2303706 | I5A9C528-038049 | C&G | 1 1/2" | 38,0 | - | NPT | 1 1/2" | 38,0 | 1"1/2 |
| 2303707 | I5A9C528-051060 | C&G | 2" | 51,0 | - | NPT | 2" | 51,0 | 2" |
| 2303708 | I5A9C528-063076 | C&G | 2 1/2" | 63,0 | - | NPT | 2 1/2" | 63,0 | 2"1/2 |
| 2303709 | I5A9C528-076090 | C&G | 3" | 76,0 | - | NPT | 3" | 76,0 | 3" |
| 2303710 | I5A9C528-102114 | C&G | 4" | 102,0 | - | NPT | 4" | 102,0 | 4" |
| 2303711 | I5A9C528-127140 | C&G | 5" | 127,0 | - | NPT | 5" | 127,0 | 5" |
| 2303712 | I5A9C528-152165 | C&G | 6" | 152,0 | - | NPT | 6" | 152,0 | 6" |
| 2303713 | I5A9C528-203219 | C&G | 8" | 203,0 | - | NPT | 8" | 203,0 | 8" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type F - Adapter, NPT Male - Stainless steel 316



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303725 | I3A9C528-013021 | C&G | 1/2" | 13,0 | - | NPT | 1/2" | 13,0 | 1/2" |
| 2303726 | I3A9C528-019027 | C&G | 3/4" | 19,0 | - | NPT | 3/4" | 19,0 | 3/4" |
| 2303727 | I3A9C528-025034 | C&G | 1" | 25,0 | - | NPT | 1" | 25,0 | 1" |
| 2303728 | I3A9C528-032042 | C&G | 1 1/4" | 32,0 | - | NPT | 1 1/4" | 32,0 | 1"1/4 |
| 2303729 | I3A9C528-038049 | C&G | 1 1/2" | 38,0 | - | NPT | 1 1/2" | 38,0 | 1"1/2 |
| 2303730 | I3A9C528-051060 | C&G | 2" | 51,0 | - | NPT | 2" | 51,0 | 2" |
| 2303731 | I3A9C528-063076 | C&G | 2 1/2" | 63,0 | - | NPT | 2 1/2" | 63,0 | 2"1/2 |
| 2303732 | I3A9C528-076090 | C&G | 3" | 76,0 | - | NPT | 3" | 76,0 | 3" |
| 2303733 | I3A9C528-102114 | C&G | 4" | 102,0 | - | NPT | 4" | 102,0 | 4" |
| 2303734 | I3A9C528-127140 | C&G | 5" | 127,0 | - | NPT | 5" | 127,0 | 5" |
| 2303735 | I3A9C528-152165 | C&G | 6" | 152,0 | - | NPT | 6" | 152,0 | 6" |

Design and dimensions shown may be changed without prior notice

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type F - Adapter, NPT Male - Brass



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303714 | I8A9C528-013021 | C&G | 1/2" | 13,0 | - | NPT | 1/2" | 13,0 | 1/2" |
| 2303715 | I8A9C528-019027 | C&G | 3/4" | 19,0 | - | NPT | 3/4" | 19,0 | 3/4" |
| 2303716 | I8A9C528-025034 | C&G | 1" | 25,0 | - | NPT | 1" | 25,0 | 1" |
| 2303717 | I8A9C528-032042 | C&G | 1 1/4" | 32,0 | - | NPT | 1 1/4" | 32,0 | 1"1/4 |
| 2303718 | I8A9C528-038049 | C&G | 1 1/2" | 38,0 | - | NPT | 1 1/2" | 38,0 | 1"1/2 |
| 2303719 | I8A9C528-051060 | C&G | 2" | 51,0 | - | NPT | 2" | 51,0 | 2" |
| 2303720 | I8A9C528-063076 | C&G | 2 1/2" | 63,0 | - | NPT | 2 1/2" | 63,0 | 2"1/2 |
| 2303721 | I8A9C528-076090 | C&G | 3" | 76,0 | - | NPT | 3" | 76,0 | 3" |
| 2303722 | I8A9C528-102114 | C&G | 4" | 102,0 | - | NPT | 4" | 102,0 | 4" |
| 2303723 | I8A9C528-127140 | C&G | 5" | 127,0 | - | NPT | 5" | 127,0 | 5" |
| 2303724 | I8A9C528-152165 | C&G | 6" | 152,0 | - | NPT | 6" | 152,0 | 6" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type F - Adapter, NPT Male - PP



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303736 | IPA9C528-013021 | C&G | 1/2" | 13,0 | - | NPT | 1/2" | 13,0 | 1/2" |
| 2303737 | IPA9C528-019027 | C&G | 3/4" | 19,0 | - | NPT | 3/4" | 19,0 | 3/4" |
| 2303738 | IPA9C528-025034 | C&G | 1" | 25,0 | - | NPT | 1" | 25,0 | 1" |
| 2303739 | IPA9C528-032042 | C&G | 1 1/4" | 32,0 | - | NPT | 1 1/4" | 32,0 | 1"1/4 |
| 2303740 | IPA9C528-038049 | C&G | 1 1/2" | 38,0 | - | NPT | 1 1/2" | 38,0 | 1"1/2 |
| 2303741 | IPA9C528-051060 | C&G | 2" | 51,0 | - | NPT | 2" | 51,0 | 2" |
| 2303743 | IPA9C528-076090 | C&G | 3" | 76,0 | - | NPT | 3" | 76,0 | 3" |
| 2303744 | IPA9C528-102114 | C&G | 4" | 102,0 | - | NPT | 4" | 102,0 | 4" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487 - TYPE D

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type D - Coupler, BSPP Female - Aluminium



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303245 | I5A9C806-013021 | C&G | 1/2" | 13,0 | - | BSPP | 1/2" | 13,0 | 1/2" |
| 2301876 | I5A9C806-019027 | C&G | 3/4" | 19,0 | - | BSPP | 3/4" | 19,0 | 3/4" |
| 2300193 | I5A9C806-025034 | C&G | 1" | 25,0 | - | BSPP | 1" | 25,0 | 1" |
| 2300194 | I5A9C806-032042 | C&G | 1 1/4" | 32,0 | - | BSPP | 1 1/4" | 32,0 | 1"1/4 |
| 2301877 | I5A9C806-038049 | C&G | 1 1/2" | 38,0 | - | BSPP | 1 1/2" | 38,0 | 1"1/2 |
| 2301878 | I5A9C806-051060 | C&G | 2" | 51,0 | - | BSPP | 2" | 51,0 | 2" |
| 2301879 | I5A9C806-063076 | C&G | 2 1/2" | 63,0 | - | BSPP | 2 1/2" | 63,0 | 2"1/2 |
| 2301880 | I5A9C806-076090 | C&G | 3" | 76,0 | - | BSPP | 3" | 76,0 | 3" |
| 2301881 | I5A9C806-102114 | C&G | 4" | 102,0 | - | BSPP | 4" | 102,0 | 4" |
| 2302711 | I5A9C806-127140 | C&G | 5" | 127,0 | - | BSPP | 5" | 127,0 | 5" |
| 2301882 | I5A9C806-152165 | C&G | 6" | 152,0 | - | BSPP | 6" | 152,0 | 6" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type D - Coupler, BSPP Female - Stainless steel 316



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303247 | I3A9C806-013021 | C&G | 1/2" | 13,0 | - | BSPP | 1/2" | 13,0 | 1/2" |
| 2301883 | I3A9C806-019027 | C&G | 3/4" | 19,0 | - | BSPP | 3/4" | 19,0 | 3/4" |
| 2300155 | I3A9C806-025034 | C&G | 1" | 25,0 | - | BSPP | 1" | 25,0 | 1" |
| 2300156 | I3A9C806-032042 | C&G | 1 1/4" | 32,0 | - | BSPP | 1 1/4" | 32,0 | 1"1/4 |
| 2301884 | I3A9C806-038049 | C&G | 1 1/2" | 38,0 | - | BSPP | 1 1/2" | 38,0 | 1"1/2 |
| 2301885 | I3A9C806-051060 | C&G | 2" | 51,0 | - | BSPP | 2" | 51,0 | 2" |
| 2301886 | I3A9C806-063076 | C&G | 2 1/2" | 63,0 | - | BSPP | 2 1/2" | 63,0 | 2"1/2 |
| 2301887 | I3A9C806-076090 | C&G | 3" | 76,0 | - | BSPP | 3" | 76,0 | 3" |
| 2302224 | I3A9C806-102114 | C&G | 4" | 102,0 | - | BSPP | 4" | 102,0 | 4" |
| 2302611 | I3A9C806-152165 | C&G | 6" | 152,0 | - | BSPP | 6" | 152,0 | 6" |

Design and dimensions shown may be changed without prior notice

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type D - Coupler, BSPP Female - Brass



| Item Code | Product Code | Thread type 1 | Head DN side 1 | | Thread 1 | Thread type 2 | Head DN side 2 | | Thread 2 |
|-----------|-----------------|---------------|----------------|-------|----------|---------------|----------------|-------|----------|
| | | | in | mm | | | in | mm | |
| 2304806 | I8A9C806-013021 | C&G | 1/2" | 13,0 | - | BSPP | 1/2" | 13,0 | 1/2" |
| 2301888 | I8A9C806-019027 | C&G | 3/4" | 19,0 | - | BSPP | 3/4" | 19,0 | 3/4" |
| 2301889 | I8A9C806-025034 | C&G | 1" | 25,0 | - | BSPP | 1" | 25,0 | 1" |
| 2301890 | I8A9C806-032042 | C&G | 1 1/4" | 32,0 | - | BSPP | 1 1/4" | 32,0 | 1"1/4 |
| 2301891 | I8A9C806-038049 | C&G | 1 1/2" | 38,0 | - | BSPP | 1 1/2" | 38,0 | 1"1/2 |
| 2301892 | I8A9C806-051060 | C&G | 2" | 51,0 | - | BSPP | 2" | 51,0 | 2" |
| 2301893 | I8A9C806-063076 | C&G | 2 1/2" | 63,0 | - | BSPP | 2 1/2" | 63,0 | 2"1/2 |
| 2301894 | I8A9C806-076090 | C&G | 3" | 76,0 | - | BSPP | 3" | 76,0 | 3" |
| 2301895 | I8A9C806-102114 | C&G | 4" | 102,0 | - | BSPP | 4" | 102,0 | 4" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type D - Coupler, BSPP Female - PP



| Item Code | Product Code | Thread type 1 | Head DN side 1 | | Thread 1 | Thread type 2 | Head DN side 2 | | Thread 2 |
|-----------|-----------------|---------------|----------------|-------|----------|---------------|----------------|-------|----------|
| | | | in | mm | | | in | mm | |
| 2303286 | IPA9C806-013021 | C&G | 1/2" | 13,0 | - | BSPP | 1/2" | 13,0 | 1/2" |
| 2303287 | IPA9C806-019027 | C&G | 3/4" | 19,0 | - | BSPP | 3/4" | 19,0 | 3/4" |
| 2303288 | IPA9C806-025034 | C&G | 1" | 25,0 | - | BSPP | 1" | 25,0 | 1" |
| 2303289 | IPA9C806-032042 | C&G | 1 1/4" | 32,0 | - | BSPP | 1 1/4" | 32,0 | 1"1/4 |
| 2303290 | IPA9C806-038049 | C&G | 1 1/2" | 38,0 | - | BSPP | 1 1/2" | 38,0 | 1"1/2 |
| 2303291 | IPA9C806-051060 | C&G | 2" | 51,0 | - | BSPP | 2" | 51,0 | 2" |
| 2303293 | IPA9C806-076090 | C&G | 3" | 76,0 | - | BSPP | 3" | 76,0 | 3" |
| 2303294 | IPA9C806-102114 | C&G | 4" | 102,0 | - | BSPP | 4" | 102,0 | 4" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type D - Coupler, NPT Female - Aluminium



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303626 | I5A9C828-013021 | C&G | 1/2" | 13,0 | - | NPT | 1/2" | 13,0 | 1/2" |
| 2303627 | I5A9C828-019027 | C&G | 3/4" | 19,0 | - | NPT | 3/4" | 19,0 | 3/4" |
| 2303628 | I5A9C828-025034 | C&G | 1" | 25,0 | - | NPT | 1" | 25,0 | 1" |
| 2303629 | I5A9C828-032042 | C&G | 1 1/4" | 32,0 | - | NPT | 1 1/4" | 32,0 | 1"1/4 |
| 2303630 | I5A9C828-038049 | C&G | 1 1/2" | 38,0 | - | NPT | 1 1/2" | 38,0 | 1"1/2 |
| 2303631 | I5A9C828-051060 | C&G | 2" | 51,0 | - | NPT | 2" | 51,0 | 2" |
| 2303632 | I5A9C828-063076 | C&G | 2 1/2" | 63,0 | - | NPT | 2 1/2" | 63,0 | 2"1/2 |
| 2303633 | I5A9C828-076090 | C&G | 3" | 76,0 | - | NPT | 3" | 76,0 | 3" |
| 2303634 | I5A9C828-102114 | C&G | 4" | 102,0 | - | NPT | 4" | 102,0 | 4" |
| 2303635 | I5A9C828-127140 | C&G | 5" | 127,0 | - | NPT | 5" | 127,0 | 5" |
| 2303636 | I5A9C828-152165 | C&G | 6" | 152,0 | - | NPT | 6" | 152,0 | 6" |
| 2303637 | I5A9C828-203219 | C&G | 8" | 203,0 | - | NPT | 8" | 203,0 | 8" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487

Type D - Coupler, NPT Female - Stainless steel 316



| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303649 | I3A9C828-013021 | C&G | 1/2" | 13,0 | - | NPT | 1/2" | 13,0 | 1/2" |
| 2303650 | I3A9C828-019027 | C&G | 3/4" | 19,0 | - | NPT | 3/4" | 19,0 | 3/4" |
| 2303651 | I3A9C828-025034 | C&G | 1" | 25,0 | - | NPT | 1" | 25,0 | 1" |
| 2303652 | I3A9C828-032042 | C&G | 1 1/4" | 32,0 | - | NPT | 1 1/4" | 32,0 | 1"1/4 |
| 2303653 | I3A9C828-038049 | C&G | 1 1/2" | 38,0 | - | NPT | 1 1/2" | 38,0 | 1"1/2 |
| 2303654 | I3A9C828-051060 | C&G | 2" | 51,0 | - | NPT | 2" | 51,0 | 2" |
| 2303655 | I3A9C828-063076 | C&G | 2 1/2" | 63,0 | - | NPT | 2 1/2" | 63,0 | 2"1/2 |
| 2303656 | I3A9C828-076090 | C&G | 3" | 76,0 | - | NPT | 3" | 76,0 | 3" |
| 2303657 | I3A9C828-102114 | C&G | 4" | 102,0 | - | NPT | 4" | 102,0 | 4" |
| 2303658 | I3A9C828-127140 | C&G | 5" | 127,0 | - | NPT | 5" | 127,0 | 5" |
| 2303659 | I3A9C828-152165 | C&G | 6" | 152,0 | - | NPT | 6" | 152,0 | 6" |

Design and dimensions shown may be changed without prior notice

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type D - Coupler, NPT Female - Brass**

| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303638 | I8A9C828-013021 | C&G | 1/2" | 13,0 | - | NPT | 1/2" | 13,0 | 1/2" |
| 2303639 | I8A9C828-019027 | C&G | 3/4" | 19,0 | - | NPT | 3/4" | 19,0 | 3/4" |
| 2303640 | I8A9C828-025034 | C&G | 1" | 25,0 | - | NPT | 1" | 25,0 | 1" |
| 2303641 | I8A9C828-032042 | C&G | 1 1/4" | 32,0 | - | NPT | 1 1/4" | 32,0 | 1"1/4 |
| 2303642 | I8A9C828-038049 | C&G | 1 1/2" | 38,0 | - | NPT | 1 1/2" | 38,0 | 1"1/2 |
| 2303643 | I8A9C828-051060 | C&G | 2" | 51,0 | - | NPT | 2" | 51,0 | 2" |
| 2303644 | I8A9C828-063076 | C&G | 2 1/2" | 63,0 | - | NPT | 2 1/2" | 63,0 | 2"1/2 |
| 2303645 | I8A9C828-076090 | C&G | 3" | 76,0 | - | NPT | 3" | 76,0 | 3" |
| 2303646 | I8A9C828-102114 | C&G | 4" | 102,0 | - | NPT | 4" | 102,0 | 4" |
| 2303647 | I8A9C828-127140 | C&G | 5" | 127,0 | - | NPT | 5" | 127,0 | 5" |
| 2303648 | I8A9C828-152165 | C&G | 6" | 152,0 | - | NPT | 6" | 152,0 | 6" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type D - Coupler, NPT Female - PP**

| Item Code | Product Code | Thread type 1 | Head DN side 1 | Head DN side 1 | Thread 1 | Thread type 2 | Head DN side 2 | Head DN side 2 | Thread 2 |
|-----------|-----------------|---------------|----------------|----------------|----------|---------------|----------------|----------------|----------|
| | | | in | mm | | | in | mm | |
| 2303660 | IPA9C828-013021 | C&G | 1/2" | 13,0 | - | NPT | 1/2" | 13,0 | 1/2" |
| 2303661 | IPA9C828-019027 | C&G | 3/4" | 19,0 | - | NPT | 3/4" | 19,0 | 3/4" |
| 2303662 | IPA9C828-025034 | C&G | 1" | 25,0 | - | NPT | 1" | 25,0 | 1" |
| 2303663 | IPA9C828-032042 | C&G | 1 1/4" | 32,0 | - | NPT | 1 1/4" | 32,0 | 1"1/4 |
| 2303664 | IPA9C828-038049 | C&G | 1 1/2" | 38,0 | - | NPT | 1 1/2" | 38,0 | 1"1/2 |
| 2303665 | IPA9C828-051060 | C&G | 2" | 51,0 | - | NPT | 2" | 51,0 | 2" |
| 2303667 | IPA9C828-076090 | C&G | 3" | 76,0 | - | NPT | 3" | 76,0 | 3" |
| 2303668 | IPA9C828-102114 | C&G | 4" | 102,0 | - | NPT | 4" | 102,0 | 4" |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487 - TYPE E**// CAM & GROOVE MIL A-A-59326A / MIL C-27487****Type E - Adapter, hose shank - Aluminium**

| Item Code | Product Code | Hose ID | | Head DN | |
|-----------|-----------------|---------|-------|---------|-------|
| | | in | mm | in | mm |
| 2303248 | I519C100-013013 | 1/2" | 13,0 | 1/2" | 13,0 |
| 2302675 | I519C100-019019 | 3/4" | 19,0 | 3/4" | 19,0 |
| 2300633 | I519C100-025025 | 1" | 25,0 | 1" | 25,0 |
| 2301736 | I519C100-032032 | 1 1/4" | 32,0 | 1 1/4" | 32,0 |
| 2301915 | I519C100-038038 | 1 1/2" | 38,0 | 1 1/2" | 38,0 |
| 2301916 | I519C100-051051 | 2" | 51,0 | 2" | 51,0 |
| 2302676 | I519C100-063063 | 2 1/2" | 63,0 | 2 1/2" | 63,0 |
| 2301918 | I519C100-076076 | 3" | 76,0 | 3" | 76,0 |
| 2302677 | I519C100-102102 | 4" | 102,0 | 4" | 102,0 |
| 2302678 | I519C100-127127 | 5" | 127,0 | 5" | 127,0 |
| 2301920 | I519C100-152152 | 6" | 152,0 | 6" | 152,0 |
| 2303679 | I519C100-203203 | 8" | 203,0 | 8" | 203,0 |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type E - Adapter, hose shank - Stainless steel 316**

| Item Code | Product Code | Hose ID | | Head DN | |
|-----------|-----------------|---------|-------|---------|-------|
| | | in | mm | in | mm |
| 2303250 | I319C100-013013 | 1/2" | 13,0 | 1/2" | 13,0 |
| 2301927 | I319C100-019019 | 3/4" | 19,0 | 3/4" | 19,0 |
| 2300618 | I319C100-025025 | 1" | 25,0 | 1" | 25,0 |
| 2301929 | I319C100-032032 | 1 1/4" | 32,0 | 1 1/4" | 32,0 |
| 2302443 | I319C100-038038 | 1 1/2" | 38,0 | 1 1/2" | 38,0 |
| 2302444 | I319C100-051051 | 2" | 51,0 | 2" | 51,0 |
| 2302445 | I319C100-063063 | 2 1/2" | 63,0 | 2 1/2" | 63,0 |
| 2301931 | I319C100-076076 | 3" | 76,0 | 3" | 76,0 |
| 2302446 | I319C100-102102 | 4" | 102,0 | 4" | 102,0 |
| 2303683 | I319C100-127127 | 5" | 127,0 | 5" | 127,0 |
| 2302447 | I319C100-152152 | 6" | 152,0 | 6" | 152,0 |

Design and dimensions shown may be changed without prior notice

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type E - Adapter, hose shank - Brass**

| Item Code | Product Code | Hose ID | Hose ID | Head DN | Head DN |
|-----------|-----------------|---------|---------|---------|---------|
| | | in | mm | in | mm |
| 2303249 | I819C100-013013 | 1/2" | 13,0 | 1/2" | 13,0 |
| 2302756 | I819C100-019019 | 3/4" | 19,0 | 3/4" | 19,0 |
| 2302757 | I819C100-025025 | 1" | 25,0 | 1" | 25,0 |
| 2301943 | I819C100-032032 | 1 1/4" | 32,0 | 1 1/4" | 32,0 |
| 2301944 | I819C100-038038 | 1 1/2" | 38,0 | 1 1/2" | 38,0 |
| 2301749 | I819C100-051051 | 2" | 51,0 | 2" | 51,0 |
| 2301945 | I819C100-063063 | 2 1/2" | 63,0 | 2 1/2" | 63,0 |
| 2301946 | I819C100-076076 | 3" | 76,0 | 3" | 76,0 |
| 2301947 | I819C100-102102 | 4" | 102,0 | 4" | 102,0 |
| 2303681 | I819C100-127127 | 5" | 127,0 | 5" | 127,0 |
| 2302758 | I819C100-152152 | 6" | 152,0 | 6" | 152,0 |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type E - Adapter, hose shank - PP**

| Item Code | Product Code | Hose ID | Hose ID | Head DN | Head DN |
|-----------|-----------------|---------|---------|---------|---------|
| | | in | mm | in | mm |
| 2303295 | IP19C100-013013 | 1/2" | 13,0 | 1/2" | 13,0 |
| 2303296 | IP19C100-019019 | 3/4" | 19,0 | 3/4" | 19,0 |
| 2303297 | IP19C100-025025 | 1" | 25,0 | 1" | 25,0 |
| 2303298 | IP19C100-032032 | 1 1/4" | 32,0 | 1 1/4" | 32,0 |
| 2303299 | IP19C100-038038 | 1 1/2" | 38,0 | 1 1/2" | 38,0 |
| 2303300 | IP19C100-051051 | 2" | 51,0 | 2" | 51,0 |
| 2303302 | IP19C100-076076 | 3" | 76,0 | 3" | 76,0 |
| 2303303 | IP19C100-102102 | 4" | 102,0 | 4" | 102,0 |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487 - TYPE C**// CAM & GROOVE MIL A-A-59326A / MIL C-27487****Type C - Coupler, hose shank - Aluminium**

| Item Code | Product Code | Hose ID | | Head DN | |
|-----------|-----------------|---------|-------|---------|-------|
| | | in | mm | in | mm |
| 2303242 | I569C200-013013 | 1/2" | 13,0 | 1/2" | 13,0 |
| 2301859 | I519C200-019019 | 3/4" | 19,0 | 3/4" | 19,0 |
| 2300640 | I519C200-025025 | 1" | 25,0 | 1" | 25,0 |
| 2300641 | I519C200-032032 | 1 1/4" | 32,0 | 1 1/4" | 32,0 |
| 2301860 | I519C200-038038 | 1 1/2" | 38,0 | 1 1/2" | 38,0 |
| 2301861 | I519C200-051051 | 2" | 51,0 | 2" | 51,0 |
| 2301862 | I519C200-063063 | 2 1/2" | 63,0 | 2 1/2" | 63,0 |
| 2301863 | I519C200-076076 | 3" | 76,0 | 3" | 76,0 |
| 2301864 | I519C200-102102 | 4" | 102,0 | 4" | 102,0 |
| 2302679 | I519C200-127127 | 5" | 127,0 | 5" | 127,0 |
| 2301865 | I519C200-152152 | 6" | 152,0 | 6" | 152,0 |
| 2303584 | I569C200-203203 | 8" | 203,0 | 8" | 203,0 |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type C - Coupler, hose shank - Stainless steel 316**

| Item Code | Product Code | Hose ID | | Head DN | |
|-----------|-----------------|---------|-------|---------|-------|
| | | in | mm | in | mm |
| 2303244 | I369C200-013013 | 1/2" | 13,0 | 1/2" | 13,0 |
| 2301866 | I319C200-019019 | 3/4" | 19,0 | 3/4" | 19,0 |
| 2300620 | I319C200-025025 | 1" | 25,0 | 1" | 25,0 |
| 2300621 | I319C200-032032 | 1 1/4" | 32,0 | 1 1/4" | 32,0 |
| 2301867 | I319C200-038038 | 1 1/2" | 38,0 | 1 1/2" | 38,0 |
| 2302448 | I319C200-051051 | 2" | 51,0 | 2" | 51,0 |
| 2301868 | I319C200-063063 | 2 1/2" | 63,0 | 2 1/2" | 63,0 |
| 2301869 | I319C200-076076 | 3" | 76,0 | 3" | 76,0 |
| 2301870 | I319C200-102102 | 4" | 102,0 | 4" | 102,0 |
| 2303605 | I369C200-127127 | 5" | 127,0 | 5" | 127,0 |
| 2302449 | I319C200-152152 | 6" | 152,0 | 6" | 152,0 |

Design and dimensions shown may be changed without prior notice

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type C - Coupler, hose shank - Brass**

| Item Code | Product Code | Hose ID | | Head DN | |
|-----------|-----------------|---------|-------|---------|-------|
| | | in | mm | in | mm |
| 2303243 | I869C200-013013 | 1/2" | 13,0 | 1/2" | 13,0 |
| 2301871 | I819C200-019019 | 3/4" | 19,0 | 3/4" | 19,0 |
| 2302759 | I819C200-025025 | 1" | 25,0 | 1" | 25,0 |
| 2302760 | I819C200-032032 | 1 1/4" | 32,0 | 1 1/4" | 32,0 |
| 2301872 | I819C200-038038 | 1 1/2" | 38,0 | 1 1/2" | 38,0 |
| 2301750 | I819C200-051051 | 2" | 51,0 | 2" | 51,0 |
| 2301873 | I819C200-063063 | 2 1/2" | 63,0 | 2 1/2" | 63,0 |
| 2301874 | I819C200-076076 | 3" | 76,0 | 3" | 76,0 |
| 2301875 | I819C200-102102 | 4" | 102,0 | 4" | 102,0 |
| 2303594 | I869C200-127127 | 5" | 127,0 | 5" | 127,0 |

// CAM & GROOVE MIL A-A-59326A / MIL C-27487**Type C - Coupler, hose shank - PP**

| Item Code | Product Code | Hose ID | | Head DN | |
|-----------|-----------------|---------|-------|---------|-------|
| | | in | mm | in | mm |
| 2303277 | IP19C200-013013 | 1/2" | 13,0 | 1/2" | 13,0 |
| 2303278 | IP19C200-019019 | 3/4" | 19,0 | 3/4" | 19,0 |
| 2303279 | IP19C200-025025 | 1" | 25,0 | 1" | 25,0 |
| 2303280 | IP19C200-032032 | 1 1/4" | 32,0 | 1 1/4" | 32,0 |
| 2303281 | IP19C200-038038 | 1 1/2" | 38,0 | 1 1/2" | 38,0 |
| 2303282 | IP19C200-051051 | 2" | 51,0 | 2" | 51,0 |
| 2303284 | IP19C200-076076 | 3" | 76,0 | 3" | 76,0 |
| 2303285 | IP19C200-102102 | 4" | 102,0 | 4" | 102,0 |